

EB-680S

DATASHEET



Compatible with selected SMART interactive whiteboards, this innovative teaching solution to deliver a scalable screen size of up to 93 inches.

The EB-680S's ultra-short-throw design allows you to present large images from a very short distance with minimised shadows and glare. With a brightness level of 3,500 lumens, XGA resolution, a 14,000:1 contrast ratio, and HDMI input, students benefit from sharp, clear images. SMART whiteboard compatibility allows for added interactivity.

High-quality, bright images

Epson's 3LCD technology ensures high-quality images with equally high White and Colour Light Output for vivid colours and bright images, even in daylight, and three times brighter colours than competitive projectors¹.

Keep costs down

Project for longer with improved reliability and a longer lamp life of up to 10,000 hours in eco mode.

Enhanced learning

Split-screen functionality allows two pieces of content to be displayed simultaneously without compromising on quality. The moderator function allows teachers to remain in control, choosing what content to display.

Optional wireless capability

Wirelessly display content easily from a range of smart devices and Google Chromebooks using our iProjection App².

Document camera compatibility

Connecting the optional Epson document camera allows you to easily display images and 3D objects with incredible detail for the whole class to see.

KEY FEATURES

- **Up to 93-inch display and outstanding quality**
XGA resolution with Epson 3LCD technology
- **Reliable**
Improved reliability and a longer lamp life
- **Wireless Connectivity (Optional)**
Allows content to be shown from a range of devices
- **Long lamp life**
Up to 10,000 hours in eco mode
- **SMART whiteboard compatible**
Designed to work with SMART interactive whiteboards.



EPSON[®]
EXCEED YOUR VISION

PRODUCT SPECIFICATIONS

TECHNOLOGY

Projection System	3LCD Technology
LCD Panel	0,55 inch with D9

IMAGE

Colour Light Output	3.500 lumen- 2.800 lumen (economy)
White Light Output	3.500 lumen - 2.800 lumen (economy) In accordance with ISO 21118:2012
Resolution	XGA, 1024 x 768, 4:3
Contrast Ratio	14.000 : 1
Native Contrast	300 : 1
Lamp	250 W, 5.000 h durability, 10.000 h durability (economy mode), 9.000 h durability (economy mode)
Keystone Correction	Manual vertical: $\pm 3^\circ$, Manual
Colour Reproduction	Upto 1.07 billion colours

OPTICAL

Projection Ratio	0,32:1
Zoom	Digital, Factor: 1 - 1,35
Image Size	56 inches - 93 inches
Projection Distance Wide	0,4 m (56 inch screen)
Projection Distance Tele	0,6 m (93 inch screen)
Focal Distance	3,76 mm
Focus	Manual
Offset	5,8 : 1

CONNECTIVITY

USB Display Function	3 in 1: Image / Mouse / Sound
Interfaces	USB 2.0 Type A, USB 2.0 Type B, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), Wireless LAN IEEE 802.11b/g/n (optional), VGA in (2x), VGA out, HDMI in (3x), Composite in, RGB in (2x), RGB out, MHL, Stereo mini jack audio out, Stereo mini jack audio in (3x), Microphone input
Epson iProjection App	Ad-Hoc / Infrastructure

ADVANCED FEATURES

Interactivity	No
---------------	----

OTHER

Warranty	36 months Carry in or 8.000 h, Lamp: 12 months or 1.000 h (whichever comes first) Optional warranty extension available
----------	--

LOGISTICS INFORMATION

SKU	V11H746340
EAN code	8715946623078
Country of Origin	Philippines

Epson Deutschland GmbH
Otto-Hahn-Str. 4
D-40670 Meerbusch
Info-Line: 02159 92 79 500
Telefax: +49 (0) 2159/538-3000
www.epson.de

Epson in Österreich
Info-Line: 01 253 49 78 333
www.epson.at
Epson in der Schweiz
Info-Line: 022 592 7923
www.epson.ch

Alle Marken und eingetragenen Warenzeichen sind das Eigentum der Seiko Epson Corporation oder der jeweiligen Rechteinhaber.
Diese Produktinformationen können ohne vorherige Ankündigung geändert werden.

EB-680S

WHAT'S IN THE BOX

- Power cable
- Remote control incl. batteries
- CD Manual
- Quick Start Guide
- USB cable
- Wall mounting bracket
- Warranty card
- SMART Integrated IWB Cable
- SMART Notebook software entitlement booklet

OPTIONAL ACCESSORIES

- Active Speakers (2 x 15W) - ELPSPO2
V12H467040
- Control and Connection Box - ELPCB02
V12H614040
- Lamp - ELPLP91 - EB-68x/69x (250W)
V13H010L91
- Wireless LAN Adapter - ELPAP10
V12H731P01
- Table Mount for Ultra-short-throw Series - ELPMB29
V12H516040
- Ceiling Mount (White) - ELPMB23
V12H003B23
- Ceiling Pipe (450mm) - ELPPFP13
V12H003P13
- Ceiling Pipe (700mm) - ELPPFP14
V12H003P14

1. - Colour Brightness (Colour Light Output) measured in accordance with IDMS 15.4. Colour Brightness will vary depending on usage conditions. Leading Epson 3LCD business and education projectors compared to leading one-chip DLP projectors, based on NPD data for June 2013 through May 2014 and PMA Research data for Q1 through Q3 2013. For more information please visit www.epson.eu/CLO
2. - iProjection App available on Android and iOS devices, and Google Chromebooks.

EPSON[®]